

EU Type-Examination Certificate

Holder	Hilti Aktiengesellschaft Feldkircherstr. 100 9494 Schaan LIECHTENSTEIN
Registration No.	C6079HILTI/R0
Product	Spectacle frame
Type, Model	PP EY-GU
Testing basis	DIN EN 166:2002-04
Test reports/Test marks	10061-PZA-11, 10071-PZA-11, 11761-PZA-11, 11771-PZA-11, 11772-PZA-11, 10521-PZA-13, 10522-PZA-13, 298, 305, 599 GJ 13/14, 597 GJ 13/14, 209 GJ 13/14, 246 GJ 13/14, 250 GJ 13/14, 396 GJ 13/14, 585 GJ 13/14, 523 GJ 13/14, 092 GJ 14/15, 728 GJ 14/15, 729 GJ 14/15, 730 GJ 14/15, 119 GJ 14/15, 622 GJ 15/16, 703 GJ 15/16, 172 GJ 16/17, 11073-PZA-17, 370 GJ 16/17, 611 GJ 16/17, 11275-PZA-18
Marking of the product	Detailed marking see annex
Validity period	2019-05-06 to 2022-03-11
Conformity	DIN CERTCO confirms that the prototype complies with the essential health and safety requirements according to the Annex II of Regulation (EU) 2016/425 on personal protective equipment. This assessment was based on the test samples submitted by the manufacturer or authorised representative, the technical documentation and the test report of the test laboratory.

Any previous versions of this EU Type-Examination Certificate hereby cease to be valid.

Please see the annex for further information.

S. S.

ANNEX

Certificate	C6079HILTI/R0 dated 2019-05-06
Manufacturer's Identification	W
Marking of the product	W 166 FT CE
Product specification	<p>Mechanical strength: protection against high speed particles at extremes of temperature FT (45 m/s)</p> <p>Material: PA, POM, TPE Colours: black/green, black/yellow, black/grey, black/orange, black/blue, black/red, white/green, white/orange, light grey/grey, anthracite/grey, anthracite/blue, black/lime, silver/orange, black/black, black/mint green, blue/white, cyan/pink, red/white, blue/yellow, green/yellow, , light grey/turkis, anthrazite/lime, anthrazite/black, white/dark blue, white/blue, temple only in hard component black, red, turquoise blue/black, anthracite/lime, sand/blue (bio-based), dark blue</p>
Regulations/ Liabilities	<p>This EU Type-Examination Certificate is the property of DIN CERTCO and may be withdrawn if the conditions on which its issue was based are no longer met.</p> <p>The information leaflet (instructions for use) for the specified eye protection product must be written in the official language of the country of destination and include, among other things, the following details of the Notified Body:</p> <p>DIN CERTCO Gesellschaft für Konformitätsbewertung mbH Alboinstraße 56 12103 BERLIN GERMANY Identification number of the Notified Body: 0196</p> <p>As far as possible, the product must be marked with a type, batch or serial number or other element allowing its identification.</p> <p>As far as possible, the product must be marked with the name and postal address of the manufacturer or, if the manufacturer is not based in the European Economic Area, the name and contact address of an authorised representative or importer based in the European Economic Area.</p> <p>The product or its packaging must be indelibly and unambiguously marked with the</p>



ANNEX

Certificate

C6079HILTI/R0 dated 2019-05-06

month and year of manufacture and/or the month and year of obsolescence.

It is not permitted to mark the product with the identification number 0196.

All changes to the product, the technical documentation or to the quality assurance system must be notified to DIN CERTCO in writing.

The General Terms and Conditions of DIN CERTCO apply.



EU Type-Examination Certificate

Holder	Hilti Aktiengesellschaft Feldkircherstr. 100 9494 Schaan LIECHTENSTEIN
Registration No.	C6083HILTI/RO
Product	Ultraviolet protective filter
Type, Model	PP EY-GU
Testing basis	DIN EN 166:2002-04 DIN EN 170:2003-01
Test reports/Test marks	11241-PZA-05, 10061-PZA-11, 11531-PZA-11, 11191-PZA-13, 12111-PZA-13, 568 GJ 13/14, 12471-PZA-15, 688 GJ 14/15, 13321-PZA-15, 188 GJ 15/16, 11771-PZA-16, 12811-PZA-17, 11812-PZA-18, 10431-PZA-19, 503 GJ 16/17
Marking of the product	Detailed marking see annex
Validity period	2019-05-06 to 2021-01-31
Conformity	DIN CERTCO confirms that the prototype complies with the essential health and safety requirements according to the Annex II of Regulation (EU) 2016/425 on personal protective equipment. This assessment was based on the test samples submitted by the manufacturer or authorised representative, the technical documentation and the test report of the test laboratory.

Any previous versions of this EU Type-Examination Certificate hereby cease to be valid.

Please see the annex for further information.

ANNEX

Certificate	C6083HILTI/R0 dated 2019-05-06
Manufacturer's Identification	W
Marking of the product	Untinted, amber: 2C-1,2 W 1 FT [Coating variant] CE Red: 2-4 W 1 FT [Coating variant] CE
Product specification	Mechanical strength: protection against high-speed particles at extremes of temperature FT (45 m/s) Optical class: 1 Shade number: 2C-1,2 (untinted, amber) / 2-4 (red) Resistance to surface damage by fine particles: K Resistance to fogging of oculars: N Material: PC Colour: untinted, amber, red Centre thickness: 2.2 mm
Additional product information	Coating variants: supravision extreme [K N] supravision excellence [K N] supravision plus [K N] supravision sapphire [K] uvex AF [N]
Regulations/ Liabilities	This EU Type-Examination Certificate is the property of DIN CERTCO and may be withdrawn if the conditions on which its issue was based are no longer met. The information leaflet (instructions for use) for the specified eye protection product must be written in the official language of the country of destination and include, among other things, the following details of the Notified Body: DIN CERTCO Gesellschaft für Konformitätsbewertung mbH Alboinstraße 56 12103 BERLIN GERMANY Identification number of the Notified Body: 0196 As far as possible, the product must be marked with a type, batch or serial number or other element allowing its identification.



ANNEX

Certificate

C6083HILTI/R0 dated 2019-05-06

As far as possible, the product must be marked with the name and postal address of the manufacturer or, if the manufacturer is not based in the European Economic Area, the name and contact address of an authorised representative or importer based in the European Economic Area.

The product or its packaging must be indelibly and unambiguously marked with the month and year of manufacture and/or the month and year of obsolescence.

It is not permitted to mark the product with the identification number 0196.

All changes to the product, the technical documentation or to the quality assurance system must be notified to DIN CERTCO in writing.

The General Terms and Conditions of DIN CERTCO apply.



EU Type-Examination Certificate

Holder	Hilti Aktiengesellschaft Feldkircherstr. 100 9494 Schaan LIECHTENSTEIN
Registration No.	C6084HILTI/RO
Product	Sunglare filters for industrial use
Type, Model	PP EY-GU
Testing basis	DIN EN 166:2002-04 DIN EN 172:2002-02
Test reports/Test marks	11241-PZA-05, 10071-PZA-11, 11541-PZA-11, 12121-PZA-13, 570 GJ 13/14, 10801-PZA-15, 488 GJ 14/15, 489 GJ 14/15, 11251-PZA-16, 11781-PZA-16, 324 GJ 15/16, 11304-PZA-18
Marking of the product	Detailed marking see annex
Validity period	2019-05-06 to 2021-01-31
Conformity	DIN CERTCO confirms that the prototype complies with the essential health and safety requirements according to the Annex II of Regulation (EU) 2016/425 on personal protective equipment. This assessment was based on the test samples submitted by the manufacturer or authorised representative, the technical documentation and the test report of the test laboratory.

Any previous versions of this EU Type-Examination Certificate hereby cease to be valid.

Please see the annex for further information.

ANNEX

Page 1 of 2

Certificate	C6084HILTI/R0 dated 2019-05-06
Manufacturer's Identification	W
Marking of the product	Grey, blue mirrored: 5-2,5 W 1 FT [coating] CE Silver mirrored: 5-1,7 W 1 FT [coating] CE
Product specification	<p>Mechanical strength: protection against high-speed particles at extremes of temperature FT (45 m/s) Optical class: 1 Shade number: 5-2,5 (grey, blue mirrored) / 5-1,7 (silver mirrored) Resistance to surface damage by fine particles: K Resistance to fogging of oculars: N</p> <p>Material: PC Colour: grey, silver mirrored, blue mirrored Centre thickness: 2.2 mm</p> <p>Coatings: supravision extreme [K N] supravision excellence [K N] supravision sapphire [K]</p>
Regulations/ Liabilities	<p>This EU Type-Examination Certificate is the property of DIN CERTCO and may be withdrawn if the conditions on which its issue was based are no longer met.</p> <p>The information leaflet (instructions for use) for the specified eye protection product must be written in the official language of the country of destination and include, among other things, the following details of the Notified Body:</p> <p>DIN CERTCO Gesellschaft für Konformitätsbewertung mbH Alboinstraße 56 12103 BERLIN GERMANY Identification number of the Notified Body: 0196</p> <p>As far as possible, the product must be marked with a type, batch or serial number or other element allowing its identification.</p> <p>As far as possible, the product must be marked with the name and postal address of the manufacturer or, if the manufacturer is not based in the European Economic</p>



ANNEX

Page 2 of 2

Certificate

C6084HILTI/RO dated 2019-05-06

Area, the name and contact address of an authorised representative or importer based in the European Economic Area.

The product or its packaging must be indelibly and unambiguously marked with the month and year of manufacture and/or the month and year of obsolescence.

It is not permitted to mark the product with the identification number 0196.

All changes to the product, the technical documentation or to the quality assurance system must be notified to DIN CERTCO in writing.

The General Terms and Conditions of DIN CERTCO apply.

