According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2022
3.5	01.03.2023	800001015792	Print Date 02.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Omala S4 GX 220
Product code	: 001D7851

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Gear lubricant.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Univar Solutions OY
	Y-tunnus (Company number): 0536122-7 Äyritie 12 FI-01510 Vantaa
Telephone	: 09-3508650
Telefax	: 09-35086550
Contact for Safety Data Sheet	: SDS@univar.com

1.4 Emergency telephone number

: 09-471 977

1.5 Other information

KT code	:	KT code 35 lubricants and additives
TOL code	:	TOL code C Industry.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : No Hazard Symbol required

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version 3.5	Revision Date: 01.03.2023	-	DS Number: 00001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023
Signal word		:	No signal word	
Hazar	d statements	:	Not classif criteria. HEALTH I Not classif ENVIRON	L HAZARDS: fied as a physical hazard according to CLP HAZARDS: fied as a health hazard under CLP criteria. IMENTAL HAZARDS: fied as environmental hazard according to
Precautionary statements		:	Response: No precau Storage: No precau Disposal:	itionary phrases. Itionary phrases. Itionary phrases.

Safety data sheet available on request.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	
Chemical nature	: Blend of polyolefins and additives.
Components Remarks	: Contains no hazardous ingredients according to GHS

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders : When administering first aid, ensure that you are wearing the

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Versio 3.5	n Revision Date: 01.03.2023		0S Number: 0001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023
			appropriate perso incident, injury an	nal protective equipment according to the distribution distribution distribution distribution distribution and the surroundings.
lf	inhaled	:		essary under normal conditions of use. st, obtain medical advice.
In	case of skin contact	:	ter and follow by	nated clothing. Flush exposed area with wa- washing with soap if available. ion occurs, obtain medical attention.
In case of eye contact		:	Remove contact I rinsing.	pious quantities of water. enses, if present and easy to do. Continue ion occurs, obtain medical attention.
lf	swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.	
4.2 Mc	ost important symptoms ar	nd e	effects, both acute	and delayed
	ymptoms	:	Oil acne/folliculitis of black pustules	s signs and symptoms may include formation and spots on the skin of exposed areas. Fult in nausea, vomiting and/or diarrhoea.
4.3 Inc	dication of any immediate	me	dical attention and	I special treatment needed
	reatment	:	Notes to doctor/pl Treat symptomati	nysician:
SECT	ION 5: Firefighting meas	sur	es	
5.1 Ex	tinguishing media			
	uitable extinguishing media	:		y or fog. Dry chemical powder, carbon diox- may be used for small fires only.
	nsuitable extinguishing edia	:	Do not use water	in a jet.
5.2 Special hazards arising from the substance or mixture				
S	pecific hazards during fire- ghting	:	Hazardous combe A complex mixtur gases (smoke). Carbon monoxide occurs.	ustion products may include: e of airborne solid and liquid particulates and e may be evolved if incomplete combustion hic and inorganic compounds.
5.3 Ad	vice for firefighters			
	pecial protective equipment r firefighters	:	gloves are to be v large contact with	equipment including chemical resistant vorn; chemical resistant suit is indicated if spilled product is expected. Self-Contained tus must be worn when approaching a fire in

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version 3.5	Revision Date: 01.03.2023		DS Number: 00001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023
				. Select fire fighter's clothing approved to ls (e.g. Europe: EN469).
Specif ods	ic extinguishing meth-	:	0 0	measures that are appropriate to local cir- the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	6.1.1 For non emergency personnel:Avoid contact with skin and eyes.6.1.2 For emergency responders:Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions :	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other

suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Technical measures :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri- ate controls for safe handling, storage and disposal of this material.
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version 3.5	Revision Date: 01.03.2023		DS Number: 0001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023		
			Properly dispose rials in order to pr	of any contaminated rags or cleaning mate- event fires.		
Product Transfer		:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation			
7.2 Condit	ions for safe storage,	incl	luding any incom	patibilities		
Furthe age st	er information on stor- ability	:	place.	ghtly closed and in a cool, well-ventilated led and closable containers. remperature.		
Packaging material		:	Refer to section 15 for any additional specific legislation ering the packaging and storage of this product. Suitable material: For containers or container linings, us steel or high density polyethylene. Unsuitable material: PVC.			
Contai	iner Advice	:		ainers should not be exposed to high tem- e of possible risk of distortion.		
7.3 Specifi	c end use(s)					
Specif	ic use(s)	:	Not applicable			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2022
3.5	01.03.2023	800001015792	Print Date 02.03.2023

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :		If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Skin and body protection	:	Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Respiratory protection	:	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precau- tions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentra-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2022
3.5	01.03.2023	800001015792	Print Date 02.03.2023
		select respirato cific conditions Check with resp Where air-filteri priate combinat Select a filter so and vapours [T	which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for combined particulate/organic gases ype A/Type P boiling point > 65°C (149°F)] 387 and EN143.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Liquid at room temperature.
Colour	:	amber
Odour	:	Data not available
Odour Threshold	:	Data not available
pour point	:	-45 °C Method: ISO 3016
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)
Flammability		
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not classified as flammable but will burn.
Lower explosion limit and uppe	er e	xplosion limit / flammability limit
Upper explosion limit / upper flammability limit	:	Typical 10 %(V)
Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)
Flash point	:	250 °C Method: ISO 2592
Auto-ignition temperature	:	> 320 °C
Decomposition temperature Decomposition tempera- ture	:	Data not available

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Vers 3.5	sion	Revision Date: 01.03.2023		S Number: 0001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023	
	рН		:	Not applicable		
	Viscos Vise	ity cosity, dynamic	:	Data not availabl	e	
	Viscosity, kinematic		:	230 mm2/s (40 ° Method: ASTM [
				30 mm2/s (100 ° Method: ASTM [
	Solubil Wa	ity(ies) ter solubility	:	negligible		
	Sol	ubility in other solvents	:	Data not availab	e	
		n coefficient: n- I/water	:		ation on similar products)	
	Vapou	r pressure	:	< 0,5 Pa (20 °C) estimated value(s)	
	Relativ	e density	:	0,881 (15 °C)		
	Densit	y	:	881 kg/m3 (15,0 Method: ISO 121		
	Relativ	e vapour density	:	> 5		
		e characteristics ticle size	:	Data not availab	e	
9.2	Other i	nformation				
	Explos	ives	:	Classification Co	de: Not classified	
	Oxidizi	ng properties	:	Data not availabl	e	
	Flamm	ability (liquids)	:	Not classified as	flammable but will burn.	
	Evapo	ration rate	:	Data not availabl	e	
	Condu	ctivity	:	This material is r	not expected to be a static accumulator.	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

3.5	Revision Date: 01.03.2023		S Number: 0001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023
Stable		expecte	d when handled	and stored according to provisions
10.3 Poss	ibility of hazardous	reaction	ons	
Haza	rdous reactions	:	Reacts with str	ong oxidising agents.
	litions to avoid itions to avoid	:	Extremes of te	mperature and direct sunlight.
10.5 Incor	mpatible materials			
	rials to avoid	:	Strong oxidisin	g agents.
	rdous decomposition ecomposition if stored	-		d.
	nation on likely routes		Skin and eye co	egulation (EC) No 1272/2008 ontact are the primary routes of exposure alt- e may occur following accidental ingestion.
Inform	nation on likely routes		Skin and eye co	ontact are the primary routes of exposure alt-
Inforn expos	nation on likely routes		Skin and eye co	ontact are the primary routes of exposure alt-
Inforn expos	nation on likely routes sure e toxicity		Skin and eye co	ontact are the primary routes of exposure alt-
Inform expos Acute <u>Prod</u>	nation on likely routes sure e toxicity	s of :	Skin and eye co hough exposure LD50 (rat): > 5. Remarks: Low f	ontact are the primary routes of exposure alt- e may occur following accidental ingestion. 000 mg/kg
Inform expose Acute Acute	nation on likely routes sure e toxicity <u>uct:</u>	s of : :	Skin and eye co hough exposure LD50 (rat): > 5. Remarks: Low f Based on availa	000 mg/kg
Inform expose Acute Acute Acute	nation on likely routes sure e toxicity <u>uct:</u> e oral toxicity	s of : :	Skin and eye co hough exposure LD50 (rat): > 5. Remarks: Low f Based on availa Remarks: Base are not met. LD50 (Rabbit): Remarks: Low f	ontact are the primary routes of exposure alt- e may occur following accidental ingestion. 000 mg/kg toxicity able data, the classification criteria are not met d on available data, the classification criteria > 5.000 mg/kg
Acute Acute Acute Acute	nation on likely routes sure e toxicity <u>uct:</u> e oral toxicity e inhalation toxicity	s of : :	Skin and eye co hough exposure LD50 (rat): > 5. Remarks: Low f Based on availa Remarks: Base are not met. LD50 (Rabbit): Remarks: Low f	ontact are the primary routes of exposure alt- e may occur following accidental ingestion. 000 mg/kg toxicity able data, the classification criteria are not met. d on available data, the classification criteria > 5.000 mg/kg toxicity
Acute Acute Acute Acute	nation on likely routes sure e toxicity <u>uct:</u> e oral toxicity e inhalation toxicity e dermal toxicity corrosion/irritation	s of : :	Skin and eye co hough exposure LD50 (rat): > 5. Remarks: Low f Based on availa Remarks: Base are not met. LD50 (Rabbit): Remarks: Low f	ontact are the primary routes of exposure alt- e may occur following accidental ingestion. 000 mg/kg toxicity able data, the classification criteria are not met. d on available data, the classification criteria > 5.000 mg/kg toxicity

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

rsion	Revision Date: 01.03.2023	SDS Number: 800001015792		Date of last issue: 21.09.2022 Print Date 02.03.2023			
Serio	ous eye damage/eye irr	itati	on				
Prod	uct:						
Rema	Remarks		: Slightly irritating to the eye. Based on available data, the classification criteria are not me				
Resp	iratory or skin sensitis	atic	on				
Prod	uct:						
Rema		:	Not a sensitise	and skin sensitisation: r. able data, the classification criteria are not m			
Germ	cell mutagenicity						
Prod	uct:						
Geno	toxicity in vivo	:	Remarks: Non Based on avail	mutagenic able data, the classification criteria are not m			
Germ sessr	cell mutagenicity- As- nent	:	This product do categories 1A/2	bes not meet the criteria for classification in IB.			
Carci	nogenicity						
Prod	uct:						
Rema	arks	:	Not a carcinoge Based on avail	en. able data, the classification criteria are not m			
Carci	nogenicity - Assess-	:	This product do categories 1A/	bes not meet the criteria for classification in			

Reproductive toxicity

Product: Effects on fertility :	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- : sessment	This product does not meet the criteria for classification in categories 1A/1B.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Versio 3.5	n Revision Date: 01.03.2023	DS Number: Date of last issue: 21. 00001015792 Print Date 02.03.2023	
S	TOT - single exposure		
	<u>roduct:</u> emarks	Based on available data, the classification	n criteria are not met.
S	TOT - repeated exposure		
	<u>roduct:</u> emarks	Based on available data, the classification	n criteria are not met.
A	spiration toxicity		
	roduct: ot an aspiration hazard., Ba	d on available data, the classification criteria	a are not met.
11.2 lr	nformation on other hazar		
F	urther information		
	<u>roduct:</u> emarks	Used oils may contain harmful impurities lated during use. The concentration of su depend on use and they may present ris environment on disposal. ALL used oil should be handled with cau avoided as far as possible.	ich impurities will ks to health and the
R	emarks	Slightly irritating to respiratory system.	
R	emarks	Classifications by other authorities under frameworks may exist.	varying regulatory
R	emarks	Unless indicated otherwise, the data pre- tive of the product as a whole, rather tha ponent(s).	

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

	evision Date: .03.2023		DS Number: 0001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023
Toxicity to a	algae/aquatic plants	:	Remarks: Based on met. Practically non toxi LL/EL/IL50 > 100	
Toxicity to icity)	Toxicity to fish (Chronic tox- icity)		Remarks: Based on met.	available data, the classification criteria are not
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		Remarks: Based on met.	available data, the classification criteria are not
Toxicity to 1	microorganisms	:	Remarks: Based on met.	available data, the classification criteria are not
12.2 Persistend	ce and degradabil	ity		
<u>Product:</u> Biodegrada	ability	:	ponents that may persistent per IMO International Oil Pc "A non-persistent of of hydrocarbon frac distills at a tempera which, by volume,	are inherently biodegradable, but contains com- ersist in the environment.
12.3 Bioaccum	ulative potential			
<u>Product:</u> Bioaccumu	llation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4 Mobility in	n soil			
<u>Product:</u> Mobility		:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
			Remarks: Floats	on water.
12.5 Results of	PBT and vPvB as	sse	ssment	
Product:				
Assessmer	nt	:	This mixture does	not contain any REACH registered sub-
			12 / 17	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version 3.5	Revision Date: 01.03.2023	SDS Number: 800001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023		
stances that are assessed to be a PBT or a vPv					
12.6 Endocrine disrupting properties					

no data available

12.7 Other adverse effects

Product: Additional ecological information : Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use. Poorly soluble mixture. Causes physical fouling of aquatic organisms. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product		Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the
Contaminated packaging	:	 collector or contractor should be established beforehand. MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides tech- nical aspects at controlling pollutions from ships. Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation		

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version 3.5	Revision Date: 01.03.2023	SDS Number: 800001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023		
Waste	e catalogue	: EU Waste Dis	posal Code (EWC):		
Waste Code		: 13 02 06*	: 13 02 06*		
Remarks		: Classification user.	: Classification of waste is always the responsibility of the end user.		
		-	ld be in accordance with applicable regional, local laws and regulations.		

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.5 Environmental hazards		
ADR	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version 3.5	Revision Date: 01.03.2023		DS Number: 00001015792	Date of last issue: 21.09.2022 Print Date 02.03.2023	
RID			Not regulated as	a dangerous good	
RID		·	Not regulated as a dangerous good		
IMDG :		:	Not regulated as a dangerous good		
14.6 Special precautions for user					
Remarks		:	Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.		

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:			
REACH	:	All components listed or polymer exempt.	
TSCA	:	All components listed.	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2022
3.5	01.03.2023	800001015792	Print Date 02.03.2023

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice :	Provide adequate information, instruction and training for op- erators.
Other information :	No Exposure Scenario annex is attached to this safety data sheet as it is a non-classified mixture containing no hazardous substances.
	Under Article 31 of REACH, a SDS is not required for this product. Therefore, this SDS has been created on a voluntary basis to pass on potentially relevant information required under Article 32.
	A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to : compile the Safety Data Sheet	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 GX 220

Version	Revision Date:	SDS Number:	Date of last issue: 21.09.2022
3.5	01.03.2023	800001015792	Print Date 02.03.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FI / EN